

P1 Experiment  
(Detection)

Subj. #: 141

Date: 10/22/98

Subject: \_\_\_\_\_

Time: \_\_\_\_\_

Subject Category: NC

Experimenter: \_\_\_\_\_

**Amp. Settings** (make note of any changes)

	Gain	HPF	LPF	External Filter
Ch. 1-28	10	.01	2000	
Ch. 29	10	.01	2000	<u>50</u>
Ch. 30	10	.01	2000	
Ch. 31	10	.01	2000	

**Run Calibration**

On DIG:

cd \dig  
p1 <subj#>

On STIM:

cd \experiments\p1  
cal  
c 990  
s [on DIG]  
s [on STIM]

After approximately 30 cal pulses,

p [on DIG]  
q [on STIM]

**Cap placement**

Head circumference: 55 cm

Nasion-to-inion: 34 cm

**Channel Assignments: (make note of any irregularities)**

1: LMAS	9: FC2	17: CP1	25: PO7
2: RLOE (plug-in)	10: FC6	18: CP2	26: PO3
3: F3	11: T7	19: CP6	27: POz
4: Fz	12: C3	20: P7	28: PO4
5: F4	13: C4	21: P3	29: PO8
6: LC (plug-in)	14: Cz	22: Pz	30: O1
7: FC5	15: T8	23: P4	31: Oz
8: FC1	16: CP5	24: P8	32: O2

Comments: