

On STIM

p1 (or p1r or p1rr)

On DIG--Change condition code

310cc. ent

	Box #	Comments
Block 1	3 ✓	was responding to circles
Block 2	2 ✓	1 hit, 13 false alarms
Block 3	3 ✓	→ <del>too</del> long break
Block 4	5 ✓	lots of misses, but far fewer false alarms
Block 5	1 ✓	
Block 6	1 ✓	
** break **		
Block 7	4 ✓	
Block 8	3 ✓	5 hits!
Block 9	1 ✓	4 hits!
Block 10	4 ✓	
Block 11	4 ✓	
Block 12	5 ✓	
** break **		
Block 13	2 ✓	
Block 14	1 ✓	
Block 15	5 ✓	
Block 16	2	
Block 17	4	
Block 18	2	
** break **		
Block 19	5	
Block 20	3	
Block 21	5	
Block 22	5	
Block 23	3	
Block 24	2	
** break **		
Block 25	1	
Block 26	2	
Block 27	4	
Block 28	2	
Block 29	5	
Block 30	1	
Block 31	2	
Block 32	1	
Block 33	4	
Block 34	5	
Block 35	3	
Block 36	5	
Block 37	4	
Block 38	2	
Block 39	3	
Block 40	1	