

010.cnt

6 ~~#~~ misses in attend Box 5
(error in program)

(~~#~~ 2 misses at very beginning of Box 5 block)
(revised program after running 3 of Block 5)

On STIM

p1 (or p1r or p1rr)

On DIG--Change condition code

	Box #	Comments
Block 1	-- 5 ✓	(watch box 5 next time)
Block 2	-- 3 ✓	-----
Block 3	-- 4 ✓	-----
Block 4	-- 4 ✓	-----
Block 5	-- 5 ✓	-----
Block 6	-- 2 ✓	-----
** break **		
Block 7	-- 1 ✓	-----
Block 8	-- 1 ✓	amplifiers failed (noise)
Block 9	-- 5 ✓	-----
Block 10	-- 2 ✓	-----
Block 11	-- 5 ✓	-----
Block 12	-- 3 ✓	-----
** break **		fixed program here
Block 13	-- 4 ✓	-----
Block 14	-- 3 ✓	-----
Block 15	-- 1 ✓	-----
Block 16	-- 3 ✓	-----
Block 17	-- 4 ✓	-----
Block 18	-- 2 ✓	-----
** break **		
Block 19	-- 5 ✓	-----
Block 20	-- 3 ✓	-----
Block 21	-- 4 ✓	-----
Block 22	-- 2 ✓	-----
Block 23	-- 1 ✓	-----
Block 24	-- 3 ✓	-----
** break **		
Block 25	-- 1 ✓	-----
Block 26	-- 2 ✓	-----
Block 27	-- 2 ✓	-----
Block 28	-- 1 ✓	-----
Block 29	-- 5 ✓	-----
Block 30	-- 4 ✓	-----
Block 31	-- 5	-----
Block 32	-- 2	-----
Block 33	-- 3	-----
Block 34	-- 1	-----
Block 35	-- 4	-----
Block 36	-- 5	-----
Block 37	-- 4	-----
Block 38	-- 3	-----
Block 39	-- 2	-----
Block 40	-- 1	-----